



**James Hardie®
Building Products**

Chicago Metropolitan Area

- **No minimum order**
- **Lead time 3-5 business days**
- **Custom orders available**
- **We deliver to Job-site or Home**



Siding




Trim



Soffit

1.888.542.7343 | jameshardie.com

© 2014 James Hardie Building Products Inc. All Rights Reserved.
TM, SM, and ® denote trademarks or registered trademarks of
James Hardie Technology Limited. The , HZ5, HZ10 and ColorPlus
Technology logos are registered trademarks of James Hardie Technology
Limited. HS1417 5/14

Achieve authentic character and
UNCOMPROMISING PERFORMANCE.



It's time to
BUILD SOMETHING TIMELESS.



Installed on over 5.5 million homes from coast to coast, James Hardie® fiber cement siding products are designed to resist the most extreme conditions while romancing the senses. Enjoy the warm, natural character of wood with unprecedented peace of mind. It's easy to see what makes James Hardie the market leader.

UNIQUE FORMULATION

We use the highest quality raw materials and proprietary additives for enhanced strength and moisture protection.

FINISHING TECHNOLOGY

Baked-on color delivers a beautiful finish that resists fading and makes a lasting impression.

COMPLETE EXTERIOR™

Offers homeowners an unrivaled collection of design options with exceptional warranties through a single, trusted manufacturer.

Contents


2	HardieZone® System
4	Unique Formulation
6	Finishing Technology
8	100% HARDIE Complete Exterior™
10	HardiePlank® Lap Siding
12	HardiePanel® Vertical Siding
14	HardieShingle® Siding
16	HardieTrim® Boards
18	HardieSoffit® Panels
20	Color Inspiration
22	Color Selection
24	HardieWrap® Weather Barrier
25	Finishing Touches
26	The James Hardie Difference
28	Warranty and Endorsements

HardieZone® System

Only James Hardie fiber cement products are Engineered for Climate®. In the northern U.S. and Canada, HZ5® products resist shrinking, swelling and cracking even after years of wet or freezing conditions. HZ10® products help protect homes from hot, humid conditions, blistering sun and more.

With James Hardie siding and trim, homeowners have an exterior that's tougher than the elements and easy on the eyes.

NO MATTER WHAT NATURE BRINGS



TOUGHER THAN THE ELEMENTS



Stands up to storms and harsh weather



Resists water absorption to help protect against mold, swelling and cracking



Won't be eaten by animals or insects



Fire resistant



Reduces time and money spent on maintenance

Resist the elements
WITH IRRESISTIBLE CHARM.

Unique Formulation

HZ5® Substrate


Not all fiber cement is the same. The James Hardie HZ5 product formulation contains the highest quality raw materials. Proprietary additives, combined with an innovative manufacturing process and product design, create a substrate specifically engineered to reduce moisture intrusion and resist damage from wet or freezing conditions.

PROPRIETARY ENHANCEMENTS CREATE THE MOST DURABLE JAMES HARDIE SIDING EVER MADE



Perfect balance of strength and workability

Our balance of high-quality Portland cement, sand and cellulose fiber delivers the best combination of strength and workability.




Enhanced moisture resistance for unmatched durability

Patented and proprietary additives are chemically bonded within the HZ5 substrate matrix to provide durable moisture resistance.



Increased dimensional stability


Our siding is engineered at the microscopic level to create a fiber cement composite with superior dimensional stability that helps protect against shrinking and splitting.



HZ5 LAP SIDING ADVANCED DESIGN

Improved drainage from top to bottom

In addition to our HZ5 product formulation's enhanced moisture resistance, HardiePlank® HZ5 lap siding features a modified profile with a sloped top and bullnose drip edge for improved drainage over the entire outer face of the board.



Sloped Top

Positive slope at top drains moisture to outer face of lap



Profiled Drip Edge

Bottom bullnose drip edge allows moisture to drain away from lap

Integrity is ingrained
IN EVERYTHING WE DO.

Finishing Technology

ColorPlus® Technology

Our advanced ColorPlus Technology finishes deliver the ultimate in aesthetics and performance to your job site. Our products aren't simply painted at the factory. Multiple coats of color are baked onto the board, creating a vibrant, consistent finish for years of lasting character, adhesion and fade resistance.

GIVES HOMES A BEAUTIFUL, CONSISTENT COATING THAT PERFORMS BETTER, LASTS LONGER AND LOOKS BRIGHTER



Superior finish adhesion

Multiple proprietary coatings are engineered for superior adhesion to our substrate and applied to all surfaces, edges and features for durable performance.




Superior color retention

Finish is cured onto boards after each coating step for a stronger bond, which allows for exceptional resistance to cracking, peeling and chipping.



Superior UV resistance

Multi-coat, baked-on finish retains its vibrancy longer when compared to vinyl siding and paint on other siding products in all UV conditions.



ColorPlus® Technology

OUR FINISHES ELIMINATE STRESS AND REDUCE COSTLY WEATHER DELAYS



There's no reason to stress over unplanned expenses when it's too cold or damp to paint for extended periods. And there's no reason to question whether or not sub-optimal painting conditions will negatively affect your paint job. In fact, there's no longer any need to paint on-site.

Our ColorPlus Technology finishes are fully cured in a controlled environment and arrive on your job site ready for year-round installation.

For timeless beauty
BEGIN WITH THE FINISH.

100% HARDIE

100% HARDIE Complete Exterior™

Top to bottom, our exterior product line is defined by excellent performance, aesthetics and design options.

Provide protection from the elements, showcase a homeowner's individual style and install peace of mind with exceptional warranties through a single, trusted manufacturer.

ColorPlus®
Technology
Sandstone Beige

HardieSoffit®
Panels

HardieShingle®
Siding

HardiePlank®
Lap Siding

HardieTrim®
Boards

HardiePanel®
Vertical Siding

Your homes mean everything
BUILD 100% HARDIE™

HardiePlank® Lap Siding

Sleek and strong, HardiePlank lap siding is not just our best-selling product – it's the most popular brand of siding in America.

With a full spectrum of colors and textures, homeowners can enjoy protection from the elements and the versatility to make their dream home a reality. From Victorians to Colonials, HardiePlank lap siding sets the standard in exterior cladding.



A classic look for
THE HOME OF THEIR DREAMS.



SELECT CEDARMILL®

Khaki Brown

Thickness	5/16 in.					
Length	12 ft. planks					
Width	5.25 in.	6.25 in.	7.25 in.	8.25 in.	9.25 in.*	12 in.**
Exposure	4 in.	5 in.	6 in.	7 in.	8 in.	10.75 in.
ColorPlus Pcs./Pallet	324	280	252	210		
Prime Pcs./Pallet	360	308	252	230	190	152
Pcs./Sq.	25.0	20.0	16.7	14.3	12.5	9.3



SMOOTH

Countrylane Red

Thickness	5/16 in.					
Length	12 ft. planks					
Width	5.25 in.	6.25 in.	7.25 in.	8.25 in.	9.25 in.*	12 in.**
Exposure	4 in.	5 in.	6 in.	7 in.	8 in.	10.75 in.
ColorPlus Pcs./Pallet	324	280	252	210		
Prime Pcs./Pallet	360	308	252	230	190	152
Pcs./Sq.	25.0	20.0	16.7	14.3	12.5	9.3



BEADED CEDARMILL®

Light Mist

Thickness	5/16 in.	
Length	12 ft. planks	
Width	8.25 in.	
Exposure	7 in.	
ColorPlus Pcs./Pallet	210	
Prime Pcs./Pallet	240	
Pcs./Sq.	14.3	



BEADED SMOOTH

Heathered Moss

Thickness	5/16 in.	
Length	12 ft. planks	
Width	8.25 in.	
Exposure	7 in.	
ColorPlus Pcs./Pallet	210	
Prime Pcs./Pallet	240	
Pcs./Sq.	14.3	

*9.25 in. only available primed.

**12 in. only available primed and in select areas.

Products are available primed or with ColorPlus Technology finishes. For more details, visit jameshardie.com


HardiePanel® Vertical Siding

HardiePanel vertical siding delivers style and substance. When combined with HardieTrim® boards, it achieves the rustic board-and-batten look that defines cottage charm. The covered seams contribute to a well-insulated home.

Its crisp, clean lines make HardiePanel vertical siding a smart choice for strong, contemporary designs.



True to the tradition of
PERFORMANCE AND BEAUTY.



SELECT CEDARMILL®

Navajo Beige Panel & Navajo Beige Rustic Grain® Batten

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5



SMOOTH

Evening Blue Panel & Evening Blue Smooth Batten

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5



STUCCO

Navajo Beige Panel

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5



SIERRA 8

Not available with ColorPlus Technology

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5


*4 ft. x 9 ft. HardiePanel vertical siding only available primed.

Products are available primed or with ColorPlus Technology finishes. For more details, visit jameshardie.com

HardieShingle® Siding

Restore the look of a grand Cape Cod or add distinction to a handsome bungalow. HardieShingle siding embodies the enchanting look of cedar shingles with lower maintenance.

Better than the real thing, HardieShingle siding resists rotting, curling, warping and splitting.



Achieve the handcrafted
LOOK OF CEDAR.



STAGGERED EDGE PANEL (7 in. Exposure)

Sandstone Beige

Thickness	1/4 in.
Length	48 in.
Height	15.9 in.
Exposure	7 in.
Pcs./Pallet	100
Sq./Pallet	2
Pcs./Sq.	50.0



STRAIGHT EDGE PANEL (7 in. Exposure)

Iron Gray

Thickness	1/4 in.
Length	48 in.
Height	15.25 in.
Exposure	7 in.
Pcs./Pallet	86
Sq./Pallet	2
Pcs./Sq.	43.0

HardieTrim® Boards

Form meets function at every angle with HardieTrim boards. With an authentic look, HardieTrim boards provide design flexibility for columns, friezes, doors, windows and other accent areas.

Unlike wood, it complements your long-lasting, lower maintenance James Hardie siding – adding punctuation to your design statement.



The performance you require
THE DISTINCTIVENESS YOU DESIRE.

HARDIETRIM® BOARDS



4/4 NT3° SMOOTH

Arctic White

Thickness .75 in.

Length 12 ft. boards

Width 3.5 in. 5.5 in. 7.25 in. 11.25 in.

Pcs./Pallet 312 208 156 104



5/4 NT3° SMOOTH

Arctic White

Thickness 1 in.

Length 12 ft. boards

Width 3.5 in. 4.5 in. 5.5 in. 7.25 in. 11.25 in.

Pcs./Pallet 240 200 160 120 80



CROWN MOULDING

Arctic White

Thickness .75 in.

Length 12 ft. boards

Width 3.25 in. 5.25 in.

Pcs./Pallet 312 208

HARDIETRIM® BATTEN BOARDS



RUSTIC GRAIN®


Arctic White

Thickness .75 in.

Length 12 ft. boards

Width 2.5 in.

Pcs./Pallet 437



SMOOTH

Arctic White

Thickness .75 in.

Length 12 ft. boards

Width 2.5 in.

Pcs./Pallet 437

Products are available primed or with ColorPlus Technology finishes. For more details, visit jameshardie.com

HardieSoffit® Panels

A home is only as strong as its weakest point. HardieSoffit panels reinforce your work by protecting the vulnerable gap between eaves and exterior walls.

Available in vented, non-vented and a range of pre-cut sizes, these panels complete your design and protect it from moisture and pests.



For complete confidence
EVERY DETAIL MATTERS.



VENTED CEDARMILL®

Sail Cloth

Thickness	1/4 in.			
Length	12 ft.	12 ft.	8 ft.	
Width	12 in.	16 in.	24 in.	
ColorPlus Pcs./Pallet	216	156	108	
Prime Pcs./Pallet	200	150	100	



VENTED SMOOTH

Sail Cloth

Thickness	1/4 in.			
Length	12 ft.	12 ft.	8 ft.	
Width	12 in.	16 in.	24 in.	
ColorPlus Pcs./Pallet	216	156	108	
Prime Pcs./Pallet	200	150	100	



NON-VENTED CEDARMILL®

Sail Cloth

Thickness	1/4 in.			
Length	12 ft.	12 ft.	8 ft.	8 ft.*
Width	12 in.	16 in.	24 in.	48 in.
ColorPlus Pcs./Pallet	216	156	108	
Prime Pcs./Pallet	200	150	100	50



NON-VENTED SMOOTH

Sail Cloth

Thickness	1/4 in.			
Length	12 ft.	12 ft.	8 ft.	8 ft.*
Width	12 in.	16 in.	24 in.	48 in.
ColorPlus Pcs./Pallet	216	156	108	
Prime Pcs./Pallet	200	150	100	50



BEADED PORCH PANEL


Arctic White

Thickness	1/4 in.
Length	8 ft.
Width	48 in.
Pcs./Pallet	50

*48 in. x 8 ft. panels only available primed.

Products are available primed or with ColorPlus Technology finishes. For more details, visit jameshardie.com

WARM TONES



COOL TONES




COMPLEMENTARY



Color Inspiration

Use deeper body colors for a warm, welcoming feeling. Make homes appear larger with soft contrasts between siding and trim. The right color combinations leave lasting impressions. Our color specialists designed the rich ColorPlus finish collection to help you express what's special about every home you build.



SUBTLE BLENDS

Cast your homes in
THE MOST ROMANTIC LIGHT.

Express the true nature of a home's character with **ColorPlus® Technology**

PLANK, PANEL, BATTEN AND SHINGLE COLORS



TRIM AND SOFFIT COLORS



Selecting a color? Request a product sample at jameshardie.com/samples

Colors shown are as accurate as printing methods will permit. Please see actual product sample for true color.

Color Selection

Explore our color palettes and differentiate your homes with stunning curb appeal. These distinctive tones are drawn from natural environments, complementing your design with the look of America's idyllic neighborhoods.

HardieWrap® Weather Barrier

Moisture management starts with the wrap. Our weather barrier, flex flashing, seam tape and pro flashing deliver the performance that you've come to expect from James Hardie.



Everything you need to
WRAP UP THE JOB.

Finishing Touches

ColorPlus Technology Accessories

TOUCH-UP KITS

Specially formulated to match ColorPlus Technology finishes, our Touch-up Kits offer resistance to aging, color change and chalking. Included in the kits, Touch-up Pens conceal nailheads and very small nicks and scratches.



Trim Accessories

FLAT TABS

Reduce nail holes and improve the aesthetic of trim applications around windows, doors and band boards.



CORNER TABS

Use corner tabs to reduce the appearance of nail holes that would detract from the finished look of corner trim installations.



Find useful job-site tips in our industry-leading Best Practices Guide. For the latest installation instructions, visit hardieinstallation.com



HardieTrim®
5/4 x 3.5 in.
Arctic White

HardiePlank®
7.25 in. Select
Cedarmill®
Woodland Cream

As unforgettable
AS IT IS UNCOMPROMISING.

The James Hardie Difference




James Hardie invented fiber cement. Over 5.5 million installations later, we continue to set the standard in premium, high-performance exterior cladding. Our products deliver uncompromising durability and finish quality for a beautiful, lower maintenance exterior.

Our unrivaled investment in R&D and constant innovations in product design, manufacturing and distribution allow us to remain steps ahead of the competition. With the support of our people, partners and exceptional warranties, we're committed to protecting your customers' homes while helping your business grow.

Warranty

Protect your home with America's #1 brand of siding backed by an exceptional warranty. Unlike other brands, James Hardie doesn't prorate our siding warranty coverage*. We stand behind our siding 100% for 30 years.

James Hardie Non-Prorated Warranty Coverage



Endorsements – a reputation built on trust

For decades, our fiber cement products have been used to create better places to live. Each new home stands as a testament to our uncompromising quality. That proven track record has earned the loyalty of millions of homeowners and the endorsements of trusted authorities across the building industry.



Chosen by builders as a **Brand Leader** in **Builder Magazine**



Featured on the **DIY Network's Blog Cabin** in 2012, 2013 & 2014




#1 Return on Investment every year since 2005 in **Remodeling Magazine****



HardiePlank lap siding is backed by the **Good Housekeeping Seal**

*ColorPlus Technology finishes and HardieTrim boards come with 15-year limited warranties.
 **Remodeling Magazine's Cost vs. Value Report states that re-siding a home with fiber cement siding in the mid-range or larger categories provides the #1 return on investment.



Make every home
AN EXPRESSION OF YOUR CHARACTER.